IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Schiemann et al. Group Art Unit: 1625

Serial No.: 10/583,689 Examiner: Rita J. Desai

Filed: Dec. 14, 2004

For: 2-(Hetero)-aryl substituted tetrahydrochinoline

DECLARATION UNDER 37 C.F.R. § 1.132

Honorable Commissionar of Patents and Trademarks Washington, D.C. 20231

SIR:

Frank Zenke, being duly warned, deposes and says:

I am a citizen of Germany residing at Darmstadt, Germany;

I am a biologist by training and experience;

the degree of Dr. rer. nat. was bestowed on me by the Heinrich-Heine University of Düsseldorf, Germany in 1995;

from 1995 to 1996 I was employed at the Institute for Microbiology, Heinrich-Heine University of Düsseldorf, Germany and the Institute for Genetics, Martin-Luther University Halle;

from 1997 to 2001 I was postdoctoral scientist at the Department of Immunology, The Scripps Research Institute, La Jolla, USA;

since October 2001 I am an employee at Merck KGaA, Darmstadt, Germany;

I am author or co-author of several papers and patents in the fields of biochemistry and cell biology.

The test results presented below for the present application support that the claimed compounds are inhibitors of the mitotic motor protein Eg5.

I have carried out, or supervised experiments for testing these inhibitors according to the methods described within the genus claimed in the pending application.

Pharmacological Report

HCT116 cell viability / proliferation assay

The proliferation data have been obtained by means of a conventional assay, which was known to the skilled artisan for the measurement of such biological data at the date of filing this application. Human colon carcinoma cells (HCT116, ATCC CCL 247) were cultured at 37°C and 10% CO₂ in MEM alpha (Invitrogen, #22571) supplemented with 10% (v/v) heat-inactivated fetal bovine serum (Pan Biotech, #3302), 2mM glutamine (Invitrogen, #25030) and 1mM sodium pyruvate (Invitrogen, #11360). Cells were detached from F75 cell culture flasks (Nunc 734 2066) with trypsin/EDTA (Invitrogen, #15400), counted using a Thoma chamber (VWR, #631-1117), and plated in 96-well microtiter plates (Falcon 353227) in fresh medium (cell density of HCT116: 1*10⁴ cells in 0.1ml medium per cavity). Cells were cultured overnight and treated on the next day with Eg5 inhibitors or with vehicle alone (0.5% DMSO; Merck, #1.02931) for 48hrs. Wells containing culture medium alone served as background controls.

At the end of compound incubation the medium was discarded, the remaining attached cells were washed once with 1x PBS (Life Technologies 14190-094), and stained for 15 minutes with crystal violet solution (0.5% crystal violet, 20% methanol). Subsequently, the wells were washed thoroughly with deionised water until no colour clouds came off the cells. The plates were dried at room temperature overnight or in a 37°C incubator for at least one hour. The bound crystal violet was extracted with 200µl methanol per well and absorption was measured at 550nm wavelength in a spectrophotometer (Tecan Reader SLT Rainbow, Berthold Reader Mithras, LB 940). The mean absorption value of the medium controls was subtracted from all other wells. DMSO control treated cells served as positive control (100%). IC50 values were determined using a curve fitting algorithm of the statistics program RS/1 (Brooks Automation Inc., Massachusetts).

The test data of the Pharmacological Report (Table I) show the compounds tested and their IC₅₀-values. The "no." refers to present application where compounds are disclosed.

Table I: IC₅₀ values for inhibiting Eg5

No.	CHEMISTRY	NAME	Proliferation IC50 [M]
60	HO	(9-tert-Butyl-5-phenyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-yl)- methanol	4,30E-08
	Chemistry 37		
89	THE STATE OF THE S	9-tert-Butyl-2-(4-methyl-piperazin- 1-ylmethyl)-5-phenyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinoline	6,60E-07
	Chemistry 354		
96		N-(9-tert-Butyl-5-phenyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-N,N',N'-trimethyl-ethane-1,2-diamine	3,90E-07
	Chemistry 346		
120	F F F H	((4aS,5R,10bS)-5-Phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	1,20E-07
	Chemistry 89		
121	P F F OH	((4aS,5R,10bS)-5-Thiophen-3-yl- 9-trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	3,42E-07
	Chemistry 88	•	
122	OH OH	3-((4aS,5S,10bS)-9-tert-Butyl-2-hydroxymethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-5-yl)-phenol	1,10E-06
	Chemistry 87		

126	A COH	((4aS,5R,10bS)-9-tert-Butyl-5- thiophen-3-yl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	2,64E-08
	Chemistry 83		
127	HO HO OH	3-((4aS,5R,10bS)-2- Hydroxymethyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-5-yl)-phenol	5,80E-08
	Chemistry 82		
133		(2S,4aS,5S,10bS)-9-tert-Butyl-2- (4-methyl-piperazin-1-ylmethyl)-5- phenyl-3,4,4a,5,6,10b-hexahydro- 2H-pyrano[3,2-c]quinoline	4,10E-07
	Chemistry 76		
137	HO HO	((2R,4aS,5R,10bS)-9-tert-Butyl-5- phenyl-3,4,4a,5,6,10b-hexahydro- 2H-pyrano[3,2-c]quinolin-2-yl)- methanol	2,60E-08
	Chemistry 72		
138	HO	(9-tert-Butyl-5-phenyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-yl)- methanol	3,04E-08
	Chemistry 71		
139		(2S,4aS,5S,10bS)-9-tert-Butyl-2- (4-methyl-piperazin-1-ylmethyl)-5- phenyl-3,4,4a,5,6,10b-hexahydro- 2H-pyrano[3,2-c]quinoline	8,00E-07
	Chemistry 70		
145		9-Ethyl-2-(4-methyl-piperazin-1- ylmethyl)-5-phenyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinoline	1,10E-06
	Chemistry 63		

146		2-(4-Methyl-piperazin-1-ylmethyl)- 5-phenyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinoline	3,30E-06
	Chemistry 62		
147	The second secon	9-tert-Butyl-2-(4-methyl-piperazin- 1-ylmethyl)-5-thiophen-3-yl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinoline	1,10E-06
	Chemistry 61		
148	THE OH	3-[9-tert-Butyl-2-(4-methyl- piperazin-1-ylmethyl)- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-5-yl]-phenol	2,40E-07
	Chemistry 60		
150	H	9-Ethyl-2-(4-methyl-piperazin-1- ylmethyl)-5-thiophen-3-yl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinoline	4,30E-06
	Chemistry 58		
151		Benzyl-(9-tert-butyl-5-phenyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-ylmethyl)- methyl-amine	6,70E-06
	Chemistry 57		
153		(4aS,5S,10bS)-9-tert-Butyl-2-(4-methyl-piperazin-1-ylmethyl)-5-phenyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinoline	2,80E-06
	Chemistry 55		
154		(4aS,5R,10bS)-9-tert-Butyl-2-(4-methyl-piperazin-1-ylmethyl)-5-phenyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinoline	1,50E-07
	Chemistry 54		


159	SH SH	2-[((4aS,5R,10bS)-9-tert-Butyl-5-phenyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-ethyl-amino]-ethanol	1,10E-07
	Chemistry 49		
167	OH OH	((4aS,5S,10bS)-9-tert-Butyl-5- thiophen-3-yl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	3,30E-07
	Chemistry 321		
193	HO HO OH	3-((2R,4aS,5R,10bS)-2- Hydroxymethyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-5-yl)-phenol	8,00E-08
	Chemistry 131		
199	P P P P P P P P P P P P P P P P P P P	[(4aS,5R,10bS)-10-Fluoro-5-(4-fluoro-phenyl)-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-yl]-methanol	2,10E-06
	Chemistry 126		
200	F F OH	2-Fluoro-4-((4aS,5R,10bS)-2- hydroxymethyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-5-yl)-phenol	4,00E-08
	Chemistry 125		
209	F F OH	3-(2-Hydroxymethyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-5-yl)-phenol	2,40E-08

225	F F N N N N N N N N N N N N N N N N N N	((2R,4aS,5R,10bS)-5-Phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	5,67E-08
	Chemistry 104		
226	E E E	((2S,4aR,5S,10bR)-5-Phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	2,60E-05
	Chemistry 103		
227		4-Bromo-N-(9-tert-butyl-5-phenyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-N-(2-dimethylamino-ethyl)-benzamide	1,20E-05
	Chemistry 102		
228	F F OH	2-Fluoro-4-(2-hydroxymethyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-5-yl)-phenol	6,40E-08
	Chemistry 101		
237	S CH OH	3-((4aS,5R,10bS)-2- Hydroxymethyl-9-methylsulfanyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-5-yl)-phenol	2,60E-07
	Chemistry 289		
238	S OH	3-((4aS,5S,10bS)-2- Hydroxymethyl-9-methylsulfanyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-5-yl)-phenol	9,80E-07
	Chemistry 288		
243	H ₁ N	N-(3-Amino-propyl)-N-(9-tert- butyl-5-phenyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-4-methyl- benzamide	2,20E-06
	Chemistry 283		


244	Chemistry 282	{3-[(9-tert-Butyl-5-phenyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-(4-methyl-benzoyl)-amino]-propyl}-carbamic acid tert-butyl ester	
248	HO	((2R,4aS,5R,10bS)-9-tert-Butyl-5-phenyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-yl)-methanol	8,23E-09
	Chemistry 277		
249	HO III-I	((2S,4aR,5S,10bR)-9-tert-Butyl-5- phenyl-3,4,4a,5,6,10b-hexahydro- 2H-pyrano[3,2-c]quinolin-2-yl)- methanol	1,80E-05
	Chemistry 276		
250	HO	((2R,4aR,5R,10bR)-9-tert-Butyl-5- phenyl-3,4,4a,5,6,10b-hexahydro- 2H-pyrano[3,2-c]quinolin-2-yl)- methanol	1,70E-06
	Chemistry 275		
251	HO	((2S,4aS,5S,10bS)-9-tert-Butyl-5- phenyl-3,4,4a,5,6,10b-hexahydro- 2H-pyrano[3,2-c]quinolin-2-yl)- methanol	1,30E-05
	Chemistry 274		
252	F F F F F F F F F F F F F F F F F F F	((4aS,5R,10bS)-5-Thiophen-2-yl- 9-trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	1,80E-07
	Chemistry 273		

265	CH CH	((2R,4aS,5R,10bS)-9-tert-Butyl-5-thiophen-3-yl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-yl)-methanol	3,30E-08
	Chemistry 588		
266	OH OH	((2S,4aR,5S,10bR)-9-tert-Butyl-5-thiophen-3-yl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-yl)-methanol	7,40E-06
	Chemistry 589		
267	OH NH	((2S,4aS,5R,10bS)-9-tert-Butyl-5-thiophen-3-yl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-yl)-methanol	1,00E-06
	Chemistry 590		
268	OH OH	((2R,4aR,5S,10bR)-9-tert-Butyl-5- thiophen-3-yl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	5,00E-05
	Chemistry 591		
271		((2R,4aS,5R,10bS)-9- Methylsulfanyl-5-phenyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-yl)- methanol	3,30E-07
	Chemistry 164		
272	H ₂ N	N-(3-Amino-propyl)-4-methyl-N- (5-phenyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-ylmethyl)- benzamide	2,60E-06
	Chemistry 163		

275	Chemistry 160	((2S,4aR,5S,10bR)-5-Thiophen-2-yl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-yl)-methanol	6,90E-07
	Chemistry 100		
276	F F N N N N N N N N N N N N N N N N N N	((2R,4aS,5R,10bS)-5-Thiophen-2- yl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-yl)- methanol	3,10E-08
	Chemistry 159		
277	OH OH	((2R,4aS,5R,10bS)-5-Thiophen-3-yl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-yl)-methanol	1,19E-07
	Chemistry 158		
278	D D D D D D D D D D D D D D D D D D D	((2S,4aR,5S,10bR)-5-Thiophen-3-yl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-yl)- methanol	
	Chemistry 157		
283	OH OH	4-(9-tert-Butyl-2-hydroxymethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-5-yl)-2-fluoro-phenol	6,00E-08
	Chemistry 152		
287	OH H OH	3-(9-tert-Butyl-2-{[ethyl-(2-hydroxy-ethyl)-amino]-methyl}-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-5-yl)-phenol	1,50E-08
	Chemistry 148		
288	OH H C F OH	4-(9-tert-Butyl-2-{[ethyl-(2-hydroxy-ethyl)-amino]-methyl}-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-5-yl)-2-fluoro-phenol	2,70E-08




310	OH OH	3-((4aR,5S,10bR)-9-tert-Butyl-2-hydroxymethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-5-yl)-phenol	1,40E-08
	Chemistry 595		
315		((2R,4aS,5R,10bS)-9-tert-Butyl-5- thiophen-2-yl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	6,30E-09
	Chemistry 254		
319	OH NH S	((2R,4aS,5R,10bS)-9-tert-Butyl-5- thiophen-2-yl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	1,50E-08
	Chemistry 250		
320	DH OH	((2S,4aR,5S,10bR)-9-tert-Butyl-5- thiophen-2-yl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	1,90E-06
	Chemistry 249		
323	P OH	4-(2-Hydroxymethyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-5-yl)-phenol	2,10E-07
	Chemistry 246		
324	OH OH	3-(9-Ethyl-2-hydroxymethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-5-yl)-phenol	3,10E-08
	Chemistry 245		
327	Chemistry 242	3-((2R,4aS,5R,10bS)-2- Hydroxymethyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-5-yl)-phenol	4,50E-08
	Chemistry 242		



336		Pentanoic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	5,80E-08
	Chemistry 191		
337	F F F F F F F F F F F F F F F F F F F	Pentanoic acid (2S,4aR,5S,10bR)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	3,20E-05
	Chemistry 190		
338		Acetic acid (2R,4aS,5R,10bS)-5- phenyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-ylmethyl ester	2,40E-08
	Chemistry 189		
339	F F F F F F F F F F F F F F F F F F F	Acetic acid (2S,4aR,5S,10bR)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethylester	2,80E-05
	Chemistry 188		
340	OH NO STATE OF THE	((2R,4aS,5R,10bS)-9-Ethyl-5- thiophen-2-yl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	1,50E-08
	Chemistry 186		
341	H N N N N N N N N N N N N N N N N N N N	((2S,4aR,5S,10bR)-9-Ethyl-5- thiophen-2-yl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methanol	2,70E-06
	Chemistry 185		

ñ



4-(9-Ethyl-2-hydroxymethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-5-yl)-2-fluoro-phenol

2,00E-08


Chemistry 184

342

(2R,4aS,5R,10bS)-5-Phenyl-9trifluoromethyl-3,4,4a,5,6,10bhexahydro-2H-pyrano[3,2c]quinoline-2-carboxylic acid ethyl ester

1,70E-06


Chemistry 175



Chloro-acetic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester

2,50E-08


Chemistry 219



(2R,4aS,5R,10bS)-2-Methoxymethyl-5-phenyl-9trifluoromethyl-3,4,4a,5,6,10bhexahydro-2H-pyrano[3,2c]quinoline


Chemistry 215

349




[(2R,4aS,5R,10bS)-5-(4-Fluoro-phenyl)-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-1,00E-06 pyrano[3,2-c]quinolin-2-yl]-methanol

Chemistry 214



[(2R,4aS,5R,10bS)-9-tert-Butyl-5-(4-fluoro-phenyl)-3,4,4a,5,6,10bhexahydro-2H-pyrano[3,2c]quinolin-2-yl]-methanol



360

Chemistry 598

Chemistry 599

(2-Dimethylamino-ethyl)-carbamic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10bhexahydro-2H-pyrano[3,2c]quinolin-2-ylmethyl ester Pentanoic acid (4aS,5R,10bS)-5-(3-fluoro-phenyl)-9trifluoromethyl-3,4,4a,5,6,10bhexahydro-2H-pyrano[3,2clauinolin-2-ylmethyl ester

4-Methyl-piperazine-1-carboxylic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-2,70E-07 hexahydro-2H-pyrano[3,2c]quinolin-2-ylmethyl ester


1,50E-07

[(2R,4aS,5R,10bS)-5-(4-Fluorophenyl)-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-9,00E-07 pyrano[3,2-c]quinolin-2-yl]methanol

[(2S,4aR,5S,10bR)-5-(4-Fluorophenyl)-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2Hpyrano[3,2-c]quinolin-2-yl]methanol

Pentanoic acid (2R,4aS,5R,10bS)-5-(3-fluorophenyl)-9-trifluoromethyl-4,40E-07 3,4,4a,5,6,10b-hexahydro-2Hpyrano[3,2-c]quinolin-2-ylmethyl ester

Pentanoic acid (2S,4aR,5S,10bR)-5-(3-fluorophenyl)-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2Hpyrano[3,2-c]quinolin-2-ylmethyl ester



562		2-[Ethyl-((2R,4aS,10bS)-5- phenyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-ylmethyl)- amino]-ethanol	1,50E-07
563	OH OH DI	2-[Ethyl-((2S,4aR,10bR)-5- phenyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-ylmethyl)- amino]-ethanol	3,20E-05
564	F F F F F F F F F F F F F F F F F F F	Methanesulfonic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	1,40E-07
565	F F OH	(2-Hydroxy-ethyl)-carbamic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	2,50E-08
566	F F F F F F F F F F F F F F F F F F F	4-Ethyl-piperazine-1-carboxylic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	7,00E-08
567	OH OH	2-[(2-Hydroxy-ethyl)- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-amino]- ethanol	2,40E-07
568		Diethylamino-acetic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	2,50E-08

569	F F F	{3-[((2R,4aS,5R,10bS)-5-Phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-amino]-propyl}-carbamic acid tert-butyl ester	7,00E-08
570		[1-((2R,4aS,5R,10bS)-5-Phenyl- 9-trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-piperidin-4- yl]-carbamic acid tert-butyl ester	2,40E-07
571	F F O H	(2R,4aS,5R,10bS)-2- Chloromethyl-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinoline	8,10E-07
572	F F H	Diethyl-((2R,4aS,5R,10bS)-5- phenyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-ylmethyl)- amine	3,70E-07
573		4-((2R,4aS,5R,10bS)-5-Phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-piperazine- 1-carbaldehyde	3,95E-07
574		(2R,4aS,5R,10bS)-2-(4-Methyl-piperazin-1-ylmethyl)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinoline	2,99E-07
575		Dimethyl-((2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-amine	1,67E-07

576	P F F NH ₂	C-((2R,4aS,5R,10bS)-5-Phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl)-methylamine	4,01E-08
577		Methyl-(1-methyl-piperidin-4-yl)- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-amine	2,93E-07
578		(2R,4aS,5R,10bS)-2-Morpholin-4-ylmethyl-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinoline	6,04E-07
579		((2R,4aS,5R,10bS)-5-Phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-(2-piperidin-1-yl-ethyl)-amine	1,70E-07
580		1-((2R,4aS,5R,10bS)-5-Phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-piperidine-4-carboxylic acid ethyl ester	2,20E-07
581	P P P NHz	1-((2R,4aS,5R,10bS)-5-Phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-piperidine-4-carboxylic acid amide	2,50E-07
582	F	((2R,4aS,5R,10bS)-5-Phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine	2,12E-07

a^{to}

583		Benzyl-((2R,4aS,5R,10bS)-5- phenyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-ylmethyl)- amine	3,30E-07
584		Isopropyl-((2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-amine	1,87E-07
585		(2R,4aS,5R,10bS)-2-(1-Methyl-piperidin-4-yloxymethyl)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinoline	4,10E-07
586		1-{3-[((2R,4aS,5R,10bS)-5-Phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-amino]-propyl}-pyrrolidin-2-one	3,90E-08
587	F F OH	2-[Ethyl-((2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-amino]-ethanol	4,90E-07
588	P P P P P P P P P P P P P P P P P P P	2-[((2R,4aS,5R,10bS)-5-Phenyl- 9-trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-amino]- ethanol	8,48E-08

589	P OH	2-{2-[((2R,4aS,5R,10bS)-5- Phenyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-ylmethyl)- amino]-ethoxy}-ethanol	1,45E-07
590		Cyclopentyl-((2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-amine	1,50E-07
591		2-(4-{3-[((2R,4aS,5R,10bS)-5-Phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-amino]-propyl}-piperazin-1-yl)-ethanol	2,20E-07
592	F F F	2-[4-((2R,4aS,5R,10bS)-5- Phenyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-ylmethyl)- piperazin-1-yl]-ethanol	2,10E-07
593	F F H	Diethyl-[2-((2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethoxy)-ethyl]-amine	1,00E-06
594		Dimethyl-[1-((2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-pyrrolidin-3-yl]-amine	2,23E-07
595	F F F F F F F F F F F F F F F F F F F	1-((2R,4aS,5R,10bS)-5-Phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-piperidin-4- ylamine	4,40E-07

596	OH PH PH	[(2R,4aS,5R,10bS)-9-tert-Butyl-5- (4-fluoro-phenyl)-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl]-methanol	1,90E-07
597	OH OH ZH	[(2S,4aR,5S,10bR)-9-tert-Butyl-5- (4-fluoro-phenyl)-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-yl]-methanol	1,00E-05
598	NH ₂	N1-((2R,4aS,5R,10bS)-5-Phenyl- 9-trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-propane- 1,3-diamine	8,03E-08
599		(2R,4aS,5R,10bS)-2-Imidazol-1- ylmethyl-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinoline	2,20E-07
600		(2R,4aS,5R,10bS)-5-Phenyl-2- [1,2,4]triazol-1-ylmethyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinoline	2,40E-08
601		N,N,N'-Trimethyl-N'- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-ethane-1,2- diamine	2,10E-07

(2R,4aS,5R,10bS)-5-Phenyl-2piperazin-1-ylmethyl-9trifluoromethyl-3,4,4a,5,6,10b-2,46E-07 602 hexahydro-2H-pyrano[3,2c]quinoline {4-{((2R,4aS,5R,10bS)-5-Phenyl-9-trifluoromethyl-3,4,4a,5,6,10bhexahydro-2H-pyrano[3,2-1,70E-07 603 c]quinolin-2-ylmethyl)-amino]butyl}-carbamic acid tert-butyl ester {2-[((2R,4aS,5R,10bS)-5-Phenyl-9-trifluoromethyl-3,4,4a,5,6,10bhexahydro-2H-pyrano[3,2-1,60E-07 604 c]quinolin-2-ylmethyl)-amino]ethyl}-carbamic acid tert-butyl ester 6-[4-((2R,4aS,5R,10bS)-5-Phenyl-9-trifluoromethyl-2.00E-07 3,4,4a,5,6,10b-hexahydro-2H-605 pyrano[3,2-c]quinolin-2-ylmethyl)piperazin-1-yl]-pyridin-2-ol ((2R,4aS,5R,10bS)-5-Phenyl-9trifluoromethyl-3,4,4a,5,6,10bhexahydro-2H-pyrano[3,2-1,80E-07 606 c]quinolin-2-ylmethyl)-thiophen-2ylmethyl-amine 4-Ethyl-1-((2R,4aS,5R,10bS)-5phenyl-9-trifluoromethyl-607 3,4,4a,5,6,10b-hexahydro-2H-7,90E-08 pyrano[3,2-c]quinolin-2-ylmethyl)piperidin-4-ol

608		4-((2R,4aS,5R,10bS)-5-Phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-piperazine-1-carboxylic acid tert-butyl ester	1,20E-06
609		4-((2R,4aS,5R,10bS)-5-Phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl)-piperazin-2-one	3,20E-07
610		Diethyl-carbamic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	3,40E-06
611	F F OH	4-(2-Hydroxy-ethyl)-piperazine-1-carboxylic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	2,10E-07
612	P. C.	4-Carbamoyl-piperidine-1-carboxylic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	3,80E-07
613	NH,	N1-((2R,4aS,5R,10bS)-5-Phenyl- 9-trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-ethane-1,2- diamine	4,93E-08

eg eg

614	P NH ₂	N1-((2R,4aS,5R,10bS)-5-Phenyl- 9-trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-butane-1,4- diamine	2,90E-07
615		[3-(2-Oxo-pyrrolidin-1-yl)-propyl]-carbamic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethylester	4,40E-07
616	F F NH	Piperazine-1-carboxylic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	4,00E-07
617		[4-((2R,4aS,5R,10bS)-5-Phenyl- 9-trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-piperazin-1- yl]-acetic acid ethyl ester	5,30E-07
618		Piperazine-1,4-dicarboxylic acid tert-butyl ester (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	5,30E-06
619		{(S)-1-Carbamoyl-2-[1- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-1H- imidazol-4-yl]-ethyl}-carbamic acid benzyl ester	3,50E-07

620		4-((2R,4aS,5R,10bS)-5-Phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-piperazine- 1-carboxylic acid ethyl ester	8,80E-07
621		(4-Fluoro-phenyl)-[1- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-piperidin-4- yl]-amine	3,20E-07
622		N-[1-((2R,4aS,5R,10bS)-5- Phenyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-ylmethyl)- piperidin-4-yl]-acetamide	1,50E-07
623		N,N-Dimethyl-N'- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-ethane-1,2- diamine	4,64E-08
624	F F F NH	N-Isopropyl-2-[4- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-piperazin-1- yl]-acetamide	3,80E-07
625		N,N-Dimethyl-2-[4- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-piperazin-1- yl]-acetamide	3,30E-07

626		1-(2-Dimethylamino-ethyl)-3- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-urea	3,40E-08
627	F F HM O	{3-[(4-Methyl-benzoyl)- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-amino]- propyl}-carbamic acid tert-butyl ester	2,10E-06
628		Carbonic acid ethyl ester (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	3,44E-07
629	NH _t	N-(2-Amino-ethyl)-4-methyl-N- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-benzamide	2,28E-08
630	F F NH,	N-(4-Amino-butyl)-4-methyl-N- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-benzamide	1,70E-06
631	537940	N-(2-Amino-ethyl)-4-methyl-N- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)- benzenesulfonamide	5,00E-08

con-

632	O O O NH ₀	N-(3-Amino-propyl)-4-methyl-N- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)- benzenesulfonamide	7,50E-07
633	NH,	N-(4-Amino-butyl)-4-methyl-N- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)- benzenesulfonamide	1,90E-06
634	F F F F F F F F F F F F F F F F F F F	N-(2-Amino-ethyl)-2-phenyl-N- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-acetamide	1,20E-07
635	F F NH ₂	N-(3-Amino-propyl)-2-phenyl-N- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-acetamide	3,40E-07
636	F F NH ₃	N-(4-Amino-butyl)-2-phenyl-N- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-acetamide	1,70E-06
637	P P P	1-(2-Amino-ethyl)-3-phenyl-1- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-urea	6,20E-07
638		1-(3-Amino-propyl)-3-phenyl-1- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-urea	1,60E-06

639		1-(4-Amino-butyl)-3-phenyl-1- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-urea	3,00E-06
640	F F NHs	N-(3-Amino-propyl)-4-methyl-N- ((2R,4aS,5R,10bS)-5-phenyl-9- trifluoromethyl-3,4,4a,5,6,10b- hexahydro-2H-pyrano[3,2- c]quinolin-2-ylmethyl)-benzamide	8,10E-07
641	OH H	[(2R,4aS,5R,10bS)-9-Ethyl-5-(4-fluoro-phenyl)-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-yl]-methanol	4,00E-07
642	P NH ₂	(2-Amino-ethyl)-carbamic acid (2R,4aS,5R,10bS)-5-phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl ester	3,90E-07
643		Carbonic acid 2-dimethylamino- ethyl ester (2R,4aS,5R,10bS)-5- phenyl-9-trifluoromethyl- 3,4,4a,5,6,10b-hexahydro-2H- pyrano[3,2-c]quinolin-2-ylmethyl ester	9,20E-08
644	F H H	2-{Ethyl-[(2R,4aS,5R,10bS)-5-(4-fluoro-phenyl)-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-pyrano[3,2-c]quinolin-2-ylmethyl]-amino}-ethanol	5,30E-07

e 11

4-Amino-N-((2R,4aS,5R,10bS)-5phenyl-9-trifluoromethyl-3,4,4a,5,6,10b-hexahydro-2H-1,70E-07 645 pyrano[3,2-c]quinolin-2-ylmethyl)butyramide [(2R,4aS,5R,10bS)-9-Ethyl-5-(4fluoro-phenyl)-3,4,4a,5,6,10b-1,80E-07 646 hexahydro-2H-pyrano[3,2c]quinolin-2-yl]-methanol [(2S,4aR,5S,10bR)-9-Ethyl-5-(4fluoro-phenyl)-3,4,4a,5,6,10b-9,10E-06 647 hexahydro-2H-pyrano[3,2c]quinolin-2-yl]-methanol Methanesulfonic acid (2R,4aS,5R,10bS)-9-tert-butyl-5-(4-fluoro-phenyl)-3,4,4a,5,6,10b-1,10E-06 648 hexahydro-2H-pyrano[3,2clquinolin-2-ylmethyl ester 2-{[(2R,4aS,5R,10bS)-9-tert-Butyl-5-(4-fluoro-phenyl)-3,4,4a,5,6,10b-hexahydro-2H-649 1,20E-07 pyrano[3,2-c]quinolin-2-ylmethyl]ethyl-amino}-ethanol (4aS,5R,10bS)-5-Phenyl-9trifluoromethyl-3,4,4a,5,6,10b-1,10E-05 650 hexahydro-2H-pyrano[3,2clquinoline-2-carboxylic acid

trifluoromethyl-3,4,4a,5,6,10bhexahydro-2H-pyrano[3,2c]quinoline-2-carboxylic acid ethyl ester

1,70E-06

Chemistry 608

ay,5,2010

(4aS,5R,10bS)-5-Phenyl-9trifluoromethyl-3,4,4a,5,6,10bhexahydro-2H-pyrano[3,2c]quinoline-2-carboxylic acid (2dimethylamino-ethyl)-amide

(2R,4aS,5R,10bS)-5-Phenyl-9-

3,00E-08

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Date

Frank Zenke